



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street, London NW1 3BF	
e-mail address		
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Mono Printer				
Commercial name *	SP 230SFNw				
Model number *	SP 230SFNw				
Issue date *	16 th July 2018				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	te * 16 th July 2018		
Product	environmental attributes - Legal requirements	Requiremen	t met
Item	* '	Yes No	n.a.
P1	Hazardous substances and preparations		
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)		
P1.2*	Products do not contain Asbestos (see legal reference).	\square	
	Comment: Legal reference has no maximum concentration value.		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in t chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	the 🛛 🗌	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀 🔲	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		
-	emo@ricoh-europe.com		
P2 P2.1*	Batteries If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	ıal \square	
	reference)		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\square
P3	Conformity verification & Eco design (ErP)		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).		
	Required information is; given in item P15 or added to this document,		
P4	available at (add URL): Consumable materials		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).	· 🔲	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		-
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		
P5	Product packaging	<u></u>	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium a hexavalent chromium by weight of these together.		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material used (see legal reference).		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	eal 🔀 🔲	
P6	Treatment information		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		
L	, , ,		

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * SP 230SFNw

Model number *	SP 230SFNw	Logo	
Issue date *	16 th July 2018		

Product	t environmental attributes - Market requirements (See General NOTE GN below)						
-	Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR (40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR (40)	\boxtimes					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes					
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.10%. or b) The weight of recycled material is g.	- -					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	SP 230SF	Nw			Logo				
Issue date	*	16 July 2	ly 2018							
		•								
Product 6	environn	nental att	ributes - Market re	quirements (conti	nued)		Rec	uire	ment	met
Item					-		,	Yes	No	n.a.
	Material and substance requirements (continued) 7.21* Biobased plastic material content is used in the product (See NOTE B7):									
P7.21*	Biobase	d plastic ma	aterial content is used	in the product (See N	OTE B7):			\boxtimes	Ш	Ш
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.										
	or b) The weight of the biobased plastic material is g.									
P7.22*			ee from mercury, i.e. le pecify: Number of lam		um mercury content per	r lamp:	mg			
P8	Batteries	S								
P8.1*		hemical co	•							\boxtimes
P9			on (See NOTE B8)							
P9.1	For the p	roduct the	following power levels	or energy consumption	ons are reported:					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		r e	nergy	
Sleep mod STAR® Op (OM) produ	perational		W	W	W					
Standby/of ENERGY S Mode (OM)	f mode for STAR Ope	erational	W	W	W					
TEC value TEC produ	for ENER		kWh/week	kWh/week	0.43 kWh/week					
(TEC= Typical Energy										
Operating mode			W	W	387 W					
Ready mo	de		W	W	35.5 W					
Sleep mod	de		W	W	0.76 W					
			W	W	W					Ī
			W	W	W					Ħ
			W	W	W					$\overline{\Box}$
External Po	ower Supp	oly Efficiend	cy Level (International	Efficiency Marking Pro	otocol) *:					
Print/Scan	Speed *	:	30 images per minute							$\overline{\Box}$
Default tim	e to enter	energy sav	ve mode: 1 minutes							$\overline{\Box}$
P9.2*	P9.2* Information about the energy save function is provided with the product.									
P10	Emissio									
			Declared according to							
P10.1	Mode	M	lode description		atistical upper limit A-we _{VA,c} (B)	eighted sound	power level,			
	Idle		Stand-by	*						\boxtimes
	Operatio		Operating mode	* 8	31.8					
	Other mo									
	Measure	d according	~ = -	ECMA-74						
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		SP 230SFNw				Logo					
Issue date *		16 July 2018									
Product environmental attributes - Market requirements (continued)							Do	~	mont		
Item	ct environmental attributes - market requirements (continued)							Re	<mark>quire</mark> Yes	No	n.a.
itom	Chemic	al emissions from I	orinting products (See	NOTE B1	10)				103	140	n.a.
P10.2*			ECMA-328 Determinat			sion Rates fron	n Electronic		\boxtimes	П	$\overline{\Box}$
		ent (ISO/IEC 28360)									
P10.3	Typical	emission rate (opera	tion phase) is (mg/h):								
	Electrophotographic devices: Ozone 0.65 Dust <0.17 Styrene 0.16 Benzene 0.012 TVOC				TVOC 4.2						
	Ink devices: Dust Styrene Benzene TVOC										
	Note: compliance with maximum emission rates in eco labels to be declared in P14.										
P11		nable materials for									
P11.1*			s available for the ink/to	oner prepai	ration, ever	if not legally r	equired (see	P4.3).			
P11.2*	Paper of EN 122		umer recycled fibers c	can be use	ed, provide	d that it meets	the require	ments of			
P11.3*	2-sided	(duplex) printing/cop	ying is an integrated pro	oduct funct	tion.				X		
P11.4*	The pro	duct is delivered to e	nd-user with default aut	to-duplex e	enabled.				\boxtimes		
P13		ing and documenta									
P13.1*	Product	packaging material t packaging material t packaging material t		aper w weight (kg) weight (kg)		2.6					
P13.2*	Product plastic primary packaging is free from PVC.										
P13.3*											
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other										
P13.5			em if paper documentat								
		d product documenta blease specify:	ation on paper media is	chlorine-fr	ee:					Ш	
	Totally of	chlorine-free							\boxtimes		
	Elemen	tal chlorine-free									
	Process	sed chlorine-free									
P14		ary programs:									
P14.1	The pro	duct meets the requi	rements of the following	g voluntary	program(s)):					
		Y STAR®	Criteria version: 3.0		Date:		ct category:	Printer			
	Eco-lab Eco-lab		Criteria version: Criteria version:		Date: Date:		ct category:				
P15	Additional information (See NOTE B11)										

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1